

SFDB_ISVALIDHLDYCODE

Last Modified on 01/19/2017 12:14 am CST

- [C/C++](#)
- [.Net](#)

```
int __stdcall SFDB_ISVALIDHLDYCODE(LPCTSTR argCode)
```

Examine the given code as a valid holiday code.

Returns

status code of the operation

Return values

NDK_SUCCESS Operation successful

NDK_FAILED Operation unsuccessful. See [SFMacros.h](#) for more details.

See Also

SFDB_FindHLDY()

Parameters

[in] **argCode** is the given holiday code

```
int SFDB_ISVALIDHLDYCODE(string argCode)
```

Examine the given code as a valid holiday code.

Returns

status code of the operation

Return values

Integer returns holiday code

Parameters

[in] **argCode** is the given holiday code

Remarks

- 1.
- 2.

Exceptions

Exception Type	Condition
None	N/A

Requirements

Namespace	NumXLAPI
Class	SFDBM
Scope	Public
Lifetime	Static
Package	NumXLAPI.DLL

Examples

References

- * Hamilton, J .D.; [Time Series Analysis](#) , Princeton University Press (1994), ISBN 0-691-04289-6
- * Tsay, Ruey S.; [Analysis of Financial Time Series](#) John Wiley & SONS. (2005), ISBN 0-471-690740
- * D. S.G. Pollock; [Handbook of Time Series Analysis, Signal Processing, and Dynamics](#); Academic Press; Har/Cdr edition(Nov 17, 1999), ISBN: 125609906
- * Box, Jenkins and Reisel; [Time Series Analysis: Forecasting and Control](#); John Wiley & SONS.; 4th edition(Jun 30, 2008), ISBN: 470272848

See Also

[template("related")]